GenCore version 5.1.6
Copyright (c) 1993 - 2003 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: June 15, 2003, 02:47:25 ; Search time 971.806 Seconds
                                         (without alignments)
                                         9193.767 Million cell
updates/sec

Title: US-09-973-994-79
Perfect score: 307
Sequence: 1 ggtgcgatcctagaattgca..........gccatcactcggatcgcacc 307

Scoring table: OLIGO_NUC
                 Gapop 60.0 , Gapext 60.0

Searched: 2054640 seqs, 14551402878 residues

Word size :   0

Total number of hits satisfying chosen parameters: 4109280

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 45 summaries

Database :   GenEmbl:*
                 1: gb_ba:*
                 2: gb_htg:*
                 3: gb_in:*
                 4: gb_om:*
                 5: gb_ov:*
                 6: gb_pat:*
                 7: gb_ph:*
                 8: gb_pl:*
                 9: gb_pr:*
                 10: gb_ro:*
                 11: gb_sts:*
                 12: gb_sy:*
                 13: gb_un:*
                 14: gb_vi:*
                 15: em_ba:*
                 16: em_fun:*
                 17: em_hum:*
                 18: em_in:*
                 19: em_mu:*
                 20: em_om:*
                 21: em_or:*
                 22: em_ov:*
                 23: em_pat:*
                 24: em_ph:*
                 25: em_pl:*
                 26: em_ro:*
                 27: em_sts:*
                 28: em_un:*
                 29: em_vi:*

```
30:  em_htg_hum:*
31:  em_htg_inv:*
32:  em_htg_other:*
33:  em_htg_mus:*
34:  em_htg_pln:*
35:  em_htg_rod:*
36:  em_htg_mam:*
37:  em_htg_vrt:*
38:  em_sy:*
39:  em_htgo_hum:*
40:  em_htgo_mus:*
41:  em_htgo_other:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being
printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	22	7.2	131427	2	AF121897	AF121897 Homo sapi
2	22	7.2	185982	2	AC073231	AC073231 Homo sapi
3	22	7.2	340000	9	HS21C080	AL163280 Homo sapi
4	21	6.8	185775	2	AL772276	AL772276 Mus muscu
5	20	6.5	65711	2	AC117583	AC117583 Mus muscu
6	20	6.5	87971	2	AC117094	AC117094 Rattus no
7	20	6.5	94820	2	AC119140	AC119140 Rattus no
c 8	20	6.5	140466	2	AC095152	AC095152 Rattus no
9	20	6.5	141017	2	AC116962	AC116962 Dictyoste
c 10	20	6.5	151374	2	AC111772	AC111772 Rattus no
11	20	6.5	274947	2	AL731766	AL731766 Mus muscu
12	19	6.2	1627	8	ZMKN1	X61308 Z.mays Knot
13	19	6.2	5200	1	AY005468	AY005468 Pseudoalt
c 14	19	6.2	33184	3	U70856	U70856 Caenorhabdi
15	19	6.2	70162	2	AC026568	AC026568 Homo sapi
c 16	19	6.2	85458	2	AC106054	AC106054 Rattus no
17	19	6.2	89207	2	AC124098	AC124098 Mus muscu
c 18	19	6.2	104600	9	AP001166	AP001166 Homo

sapi						
c 19	19	6.2	108400	9	AC005193	AC005193 Homo
sapi						
c 20	19	6.2	110000	2	AC129176_2	Continuation
(3 of						
21	19	6.2	123277	9	AC005016	AC005016 Homo
sapi						
22	19	6.2	134778	9	AC078848	AC078848 Homo
sapi						
c 23	19	6.2	134979	9	AL359963	AL359963
Human DNA						
24	19	6.2	135607	2	AC115922	AC115922 Mus
muscu						
c 25	19	6.2	136283	9	AP005202	AP005202 Homo
sapi						
c 26	19	6.2	136791	9	AC079896	AC079896 Homo
sapi						
c 27	19	6.2	140702	2	AC068420	AC068420 Homo
sapi						
28	19	6.2	141866	9	AL451062	AL451062
Human DNA						
29	19	6.2	143595	2	AC027563	AC027563 Homo
sapi						
30	19	6.2	148083	9	AF111170	AF111170 Homo
sapi						
c 31	19	6.2	152320	9	AC084377	AC084377 Homo
sapi						
32	19	6.2	155711	3	VYIVD10	AL360354
Plasmodiu						
c 33	19	6.2	156471	2	AC013568	AC013568 Homo
sapi						
34	19	6.2	162743	4	AC091728	AC091728 Bos
tauru						
c 35	19	6.2	162810	9	AC006382	AC006382 Homo
sapi						
36	19	6.2	162900	2	AC123889	AC123889
Rattus no						
37	19	6.2	164528	2	AC016800	AC016800 Homo
sapi						
38	19	6.2	171325	9	AC079345	AC079345 Homo
sapi						
c 39	19	6.2	173292	9	AL139085	AL139085
Human DNA						
c 40	19	6.2	173394	9	AC025040	AC025040 Homo
sapi						
41	19	6.2	176469	2	AC121034	AC121034
Rattus no						
c 42	19	6.2	182035	2	AC068040	AC068040 Homo
sapi						
c 43	19	6.2	183328	2	AC101773	AC101773 Mus
muscu						
44	19	6.2	193516	2	AC117207	AC117207 Mus
muscu						
c 45	19	6.2	194769	2	AC113489	AC113489 Mus
muscu						

```
LOCUS       PIAEMB2R                861 bp    mRNA    linear   PLN 16-JUN-1999
DEFINITION  Picea glauca late embryogenesis abundant protein (EMB2) mRNA,
            complete cds.
ACCESSION   L47115
VERSION     L47115.1  GI:1350521
KEYWORDS    late embryogenesis abundant protein.
SOURCE      Picea glauca (white spruce)
  ORGANISM  Picea glauca
            Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
            Spermatophyta; Coniferopsida; Coniferales; Pinaceae; Picea.
REFERENCE   1  (bases 1 to 861)
  AUTHORS   Dong,J.Z. and Dunstan,D.I.
  TITLE     Cloning and characterization of six embryogenesis-associated cDNAs
            from somatic embryos of Picea glauca and their comparative
            expression during zygotic embryogenesis
  JOURNAL   Plant Mol. Biol. 39 (4), 859-864 (1999)
  PUBMED    10350098
REFERENCE   2  (bases 1 to 861)
  AUTHORS   Dong,J.Z. and Dunstan,D.I.
  TITLE     Direct Submission
  JOURNAL   Submitted (30-MAY-1996) Crop Science, Horticulture Research
            International, East Malling, West Malling, Kent ME19 6BJ, UK
FEATURES             Location/Qualifiers
     source          1..861
                     /organism="Picea glauca"
                     /mol_type="mRNA"
                     /db_xref="taxon:3330"
                     /note="(vector lambda zap)"
     gene            1..861
                     /gene="EMB2"
     5'UTR           <1..54
                     /gene="EMB2"
     CDS             55..648
                     /gene="EMB2"
                     /codon_start=1
                     /product="late embryogenesis abundant protein"
                     /protein_id="AAB01563.1"
                     /db_xref="GI:1350522"
                     /translation="MAIARLLREICTKPTRFKRESSHPTLNLRFSSPLKNPIKSTLNS
                     SSEQQEALTSNGSSKHLFNATLKFSGRICTWGAEIGNLGSPFEIDRRYFSVDSSNLDY
                     SKEVDEINAKFAEAREELEMAMESKETVYFDEEAETARDAVKQTLEMFDALLTKLPEA
                     ERGAVQRSMGLKMEQLKAELSQVKRSKILCTPWMYFY"
     3'UTR           649..861
                     /gene="EMB2"
     polyA_site      861
                     /gene="EMB2"
ORIGIN
        1 gctttgagag accacggttt cagggtttta acaggagcag ggtttcacgc cgcgatggcg
       61 attgcgcggc ttttgcgaga gatctgcaca aaacccacca ggtttaagcg agagtcctct
      121 catccaaccc ttaacctccg attctcaagc ccgctgaaaa accccatcaa gtcaacccta
      181 aattcgtctt ctgaacagca agaagccctt acttcaaacg gatcctcaaa acatctcttc
      241 aacgcaactc tcaaattcag cggacggatt tgtacttggg gcgcggaaat aggtaatttg
      301 ggatccccgt ttgagattga taggagatat ttcagtgtag actcaagcaa tttggattac
      361 agtaaggaag tagacgagat caatgcaaag tttgcggagg cgagagaaga gcttgaaatg
      421 gcaatggagt ctaaggaaac cgtttatttt gacgaggaag ccgagactgc cagagacgct
      481 gtgaaacaaa ccctagaaat gttcgatgcc cttttgacta aattgcccga agccgaaaga
      541 ggtgctgtac agaggtccat gggattgaag atggaacagc ttaaagcaga gctttcacaa
      601 gttaaacgga gtaaaattct ttgcaccccc tgatgtgtat tttattagtt ttggcatttt
      661 gggggtttta gtttggcatt caagggccta taattattga ttctgtatga attgagtgat
      721 tcgagttatt gcgtagggcg atttcacaat gcattcagct gatataaatt tttggcgctg
```

```
781 gaatttttcg ttatagaaac aattaatgct gtaaggtcat tcttcttttg tgcttcatgt
841 taagcttatc ataatttctt t
```
//

```
LOCUS       PIAEMB6R                942 bp    DNA     linear   PLN 16-JUN-1999
DEFINITION  Picea glauca late embryogenesis abundant protein (EMB6) mRNA,
            complete cds.
ACCESSION   L47116
VERSION     L47116.1  GI:1350540
KEYWORDS    late embryogenesis abundant protein.
SOURCE      Picea glauca (white spruce)
  ORGANISM  Picea glauca
            Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
            Spermatophyta; Coniferopsida; Coniferales; Pinaceae; Picea.
REFERENCE   1  (bases 1 to 942)
  AUTHORS   Dong,J.Z. and Dunstan,D.I.
  TITLE     Cloning and characterization of six embryogenesis-associated cDNAs
            from somatic embryos of Picea glauca and their comparative
            expression during zygotic embryogenesis
  JOURNAL   Plant Mol. Biol. 39 (4), 859-864 (1999)
  PUBMED    10350098
REFERENCE   2  (bases 1 to 942)
  AUTHORS   Dong,J.Z. and Dunstan,D.I.
  TITLE     Direct Submission
  JOURNAL   Submitted (30-MAY-1996) Crop Science, Horticulture Research
            International, East Malling, West Malling, Kent ME19 6BJ, UK
FEATURES             Location/Qualifiers
     source          1..942
                     /organism="Picea glauca"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:3330"
                     /dev_stage="mature somatic embryo"
     gene            1..942
                     /gene="EMB6"
     mRNA            <1..942
                     /gene="EMB6"
     5'UTR           <1..49
                     /gene="EMB6"
     CDS             50..769
                     /gene="EMB6"
                     /codon_start=1
                     /product="late embryogenesis abundant protein"
                     /protein_id="AAB01569.1"
                     /db_xref="GI:1350541"
                     /translation="MKEAGECFTLGRTIGRKRNAMSAAENWQKEERAVDDSRVKFSFS
                     DDRSGPGRILRHRPDEEEVCVTPVKPCPILAAGKDENSAGRDLASLALDVLVEVVCNL
                     GHHELEPLTRVSKDFKQAVKVANETHFGFKTPDPVRRPNRSLFLNQSHANSASGSDSP
                     SRWPATPKAPKRVVKHRNLLASDKEFADLSRVLFLDGNQPSGVDVVDAEHTICLKPGI
                     ATNRALFSTDELSGALSRHCI"
     3'UTR           770..942
                     /gene="EMB6"
     polyA_site      942
                     /gene="EMB6"
ORIGIN
        1 caaggtgcgg cagcacaata acaaggctgc taaggtctgt gcttctgaca tgaaggaagc
       61 aggggagtgt ttcacactcg gtcgcactat tggcagaaag aggaatgcga tgtcggctgc
      121 ggagaattgg cagaaagagg aacgcgctgt cgacgacagt agggttaaat ttagcttttc
      181 ggatgatcgt tcaggacctg ggagaatctt acgccacagg cctgacgagg aggaagtttg
      241 cgtcactccg gtgaagccct gccctatact tgctgctggt aaagatgaga attcggccgg
      301 aagggacttg gcgtctttgg ctttagatgt cttggtagag gtagtctgta acctcgggca
      361 ccatgaactc gagccgttaa ctcgcgtttc aaaggatttc aaacaagcgg ttaaagttgc
      421 taatgaaacg cattttggtt ttaaaacccc ggatcctgtg cggagaccta atcgttcgct
      481 attttaaat caaagccatg caaattccgc ttccggaagt gatagtccat ctcgatggcc
      541 tgcaacgccg aaggcaccga aacgtgtagt gaagcatcgg aatcttctcg cgagtgataa
```

```
601 agaattcgca gatttaagca gagtgctctt tctggatggc aatcagccat ccggcgttga
661 tgttgttgat gcagagcata ctatttgctt gaagccgggc attgctacaa acagggcttt
721 atttagcacg gatgagcttt ctggggcatt gtcccgtcac tgcatataga aagtttacga
781 agggaatgcg ggatcctccc attttttttt tcaagtgttg ggaaaacagg cggaggagga
841 ttttatgggg agaatctcac ttctcgtgag ctttcccaac cagtttattt tttttaggt
901 taaactctgt aaaaacaaat cttcaaccag ttttggggtc cc
//
```